



**A Storm® Safety Glasses** Face-flattering design appeals to a wide range of professionals. High-quality polycarbonate lenses provide superior protection without hindering visual acuity. Five-position ratchet-action temples make getting a proper fit quick and easy. Manufacturer's lifetime warranty on frame only.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
1 CRW-ST110*	Black	Clear	12	BX	65.63

\* ANSI Z87.1 Compliant.



**B Stratos® Safety Glasses** Stylish, highly practical wraparound design helps maximize your field of vision. Duramass® coating keeps lenses scratch-free. Extension-adjustable temples enhance comfort.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
2 CRW-SS110BX	Black	Clear	12	BX	20.37



**C Tomahawk® Safety Glasses** Lightweight safety glasses with a scratch-resistant, polycarbonate, wraparound lens. Fully adjustable temples with ratchet for custom fit and one-piece lens with integral side shields. Filters 99.9% of UV rays. Manufacturer's lifetime warranty on frame only.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
3 CRW-TK110*	Black	Clear	12	BX	55.68

\* ANSI Z87.1 Compliant.



**D BearKat® Safety Glasses** Well-thought-out construction combines the best in safety, comfort and affordability! Wraparound lenses won't obstruct vision; fits snugly for maximum safety. Flexible temples and nonslip rubber head grips. Filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
4 CRW-BK110*	Black	Clear	1	EA	3.48
5 CRW-BK110BX*	Black	Clear	12	BX	41.76
6 CRW-BK110AFBX	Frost	Clear	12	BX	32.49
7 CRW-BK112*	Gray	Gray	1	EA	3.48
8 CRW-BK112BX*	Gray	Gray	12	BX	41.76

**Magnifier Lens**—1.5 diopter strength.

9 CRW-BKH15*	Clear	Clear	1	EA	5.18
--------------	-------	-------	---	----	------

**Magnifier Lens**—2 diopter strength.

10 CRW-BKH20	Clear	Clear	1	EA	5.18
--------------	-------	-------	---	----	------

\* CRW-BK110, CRW-BK110BX, CRW-BK112, CRW-BK112BX—ANSI Z87.1+ Compliant.



**E Law OTG® Safety Glasses** Breaks through the traditional look of over-the-glasses protective eyewear. Durable polycarbonate frame designed to be worn over prescription glasses. Ratcheting temple design for optimum fit. Nonslip temple inserts provide comfort and grip. Anti-fog, scratch-resistant and filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
11 CRW-OG110AF*	Gray	Clear	1	EA	10.52

\* ANSI Z87.1+ Compliant.



**F Yukon® Safety Glasses** Convenient, low-cost glasses make a great courtesy handout for visitors to your workplace. Contemporary wraparound style provides increased angular coverage for improved peripheral vision. Molded-in brow guards and vented side shields.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
12 CRW-9810*	Clear	Clear	1	EA	5.40

\* ANSI Z87.1+ Compliant.



## boardwalk.

**G Safety Glasses** Safety glasses feature a hard-coated polycarbonate frame and lens for superb scratch and impact resistance. These versatile spectacles provide 99.9% UV protection. Lightweight, for comfortable long-term wear.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
13 BWK-00021*	Clear	Clear	1	DZ	33.44
14 BWK-00023*	Gray	Gray	1	DZ	33.92

**Anti-Fog Lens**

15 BWK-00022*	Clear	Clear	1	DZ	44.72
---------------	-------	-------	---	----	-------

\* ANSI Z87.1-2010; CAN/CSA Z94.3-07; Made of FDA Accepted Materials.



## 3M

**A Virtua™ Protective Eyewear** Lightweight safety eyewear weighs less than 1 ounce and is comfortable for long wear. High-wraparound coverage offers extra protection. Sturdy polycarbonate lenses.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
1 MMM-11329000020 *	Clear	Clear	1	EA	2.48
2 MMM-11326000020 *	Clear	Clear	20	CT	30.40

\* ANSI Z87.1-2003 Compliant.

## JACKSON

**B Element\* Safety Glasses** Lightweight, popular styling and economical price. Frame features universal nose bridge. Clear polycarbonate lenses provide 99.9% UVA/ UVB/UV C protection.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
3 KCC-25631 *	Black	Smoke	1	EA	3.52
<b>V10</b>					
4 KCC-25627 *	Clear	Clear	1	EA	2.87

\* ANSI Z87.1+ Compliant.

**C Nemesis\* Safety Glasses** Feature sleek, flexible, lightweight design with soft touch temples for comfort. Patented nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose – all for long-term comfort. Scratch-resistant dual polycarbonate lens offers 99% UVA/ UVB/UV C protection.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
5 KCC-25676 *	Black	Clear	1	EA	7.96
<b>Indoor/Outdoor Lens</b>					
6 KCC-25685 *	Black	I/O	1	EA	5.84
<b>V30</b>					
7 KCC-25688 *	Black	Smoke Mirror	1	EA	9.72

\* ANSI Z87.1+ Compliant.



**3M**  **WARNING!**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



**A Backdraft Glasses** A trendy design that also offers soft and secure TPR nosepads. Inner TPR side shields for added protection.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
<b>Anti-Fog Lens</b>					
1	CRW-BD110PF *	Clear	1	EA	11.49
2	CRW-BD112PF *	Clear	1	EA	12.33
<b>Hard Coat Lens</b>					
3	CRW-BD110P *	Clear	1	EA	10.98
4	CRW-BD112P *	Clear	1	EA	11.82

\* ANSI Z87.1.

**B Forceflex™ Professional Grade Safety Glasses** The ultimate in safety, flexible frame combines with lenses to achieve military-level impact resistance. Thermoplastic frames flex to fit any size face. Stylish and comfortable. Scratch-resistant.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
5	CRW-FF128B *	Black	1	EA	30.76
6	CRW-FF120 *	Black	1	EA	26.04

\* ANSI Z87.1+ Compliant.

**C Klondike® Plus Safety Glasses** Safety and style at an affordable price. Great on the slopes or in the workplace. Adjustable temples and gel nose piece keep you comfortable all day. Scratch-resistant, lightweight polycarbonate lenses. Filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
7	CRW-KD310 *	Black	1	EA	7.76
8	CRW-KD312 *	Black	1	EA	8.88

\* ANSI Z87.1+ Compliant.

**D Klondike® Safety Glasses** Attractive, modern design gives you a stylish, light-weight option that you'll want to wear all day long. Strong polycarbonate lenses provide excellent protection from flying debris. Adjustable temples and gel nose piece enhance wearing comfort.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
9	CRW-KD110BX	Black Matte	12	BX	38.06
10	CRW-KD112BX	Black Matte	12	BX	44.11

**E Dallas™ Safety Glasses** Fashion and function combine with sleek styling that offers a lightweight, comfortable fit. Unique nosebridge with gel nose pad. Nonslip temple sleeves and wraparound lens design. Filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
11	CRW-DL110 *	Black	1	EA	9.56
12	CRW-DL112 *	Black	1	EA	10.68
<b>Anti-Fog</b>					
13	CRW-DL310AF *	Metallic Blue	1	EA	11.52
<b>Anti-Fog; Indoor/Outdoor Lens</b>					
14	CRW-DL119AF *	Black	1	EA	13.16

\* ANSI Z87.1+ Compliant.

**F Checklite Safety Glasses CL110AF** Near total coverage of eye orbit assures high level of protection. Exclusive Duramass® scratch-resistant and anti-fog lens.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
15	CRW-CL110AF *	Clear	1	EA	2.00

\* ANSI Z87.1+ Compliant.



**A Klondike® Magnifier Safety Glasses** Modern style combines with excellent fit, comfort and adjustability. Provides a range of magnification to see the details up close. Strong, lightweight lenses. Five-position ratchet spatula temples. Filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Diopter Strength	Unit	Price
1 CRW-K3H15*	Black	Clear	1.5	EA	<del>18.92</del>
2 CRW-K3H20*	Black	Clear	2	EA	<del>18.92</del>
3 CRW-K3H25*	Black	Clear	2.5	EA	<del>18.92</del>

\* ANSI Z87.1+ Compliant.

**B Checklite® Safety Glasses** Stylish safety glasses offer exclusive Duramass scratch-resistant lens coating. Flexible temple design for a comfortable fit. Filters 99.9% of UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
4 CRW-CL010BX	Clear	Clear	12	BX	<del>23.80</del>
<b>Scratch-Resistant Lens Coating</b>					
5 CRW-CL110*	Clear	Clear	1	EA	2.80
6 CRW-CL110BX*	Clear	Clear	12	BX	<del>33.60</del>
7 CRW-CL112*	Smoke	Gray	1	EA	2.80
8 CRW-CL112BX*	Smoke	Gray	12	BX	<del>33.60</del>

\* CRW-CL110, CRW-CL110BX, CRW-CL112, CRW-CL112BX—ANSI Z87.1+ Compliant.

**C Checkmate® Safety Glasses** Lightweight, polycarbonate frame and nose piece. Design provides near total seal of eye orbit or maximum protection. Manufacturer's lifetime warranty on frame only.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
<b>Scratch-Resistant Lens</b> —Blocks 99.9% of UV rays.					
9 CRW-CK110BX*	Clear	Clear	12	BX	<del>23.49</del>

\* ANSI Z87.1 Compliant.

# 3M

**D Tour-Guard™ V Protective Eyewear** Economical visitor spec fits over most personal prescription eyewear. Polycarbonate lenses absorb 99.9% UV. Wraparound design. Wall-mountable dispenser box for easy access.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
10 MMM-TGV0120*	Clear	Clear	20	BX	<del>66.00</del>

\* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**E LightVision™ 2 Protective Eyewear** Light up your workspace! Dual LED lights provide hands-free lighting that swivels/adjusts for directional convenience. Long-lasting batteries provide up to 50 hours of use. Clear anti-fog lens. Soft temples and nosebridge.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
11 MMM-114760000010*	Gray	Clear	1	EA	<del>30.18</del>

\* ANSI Z87.1-2010 Compliant; Meets CSA Z94.3-2007 Compliant. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



EYE PROTECTION

**3M** **WARNING!**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

PRICES ARE SUBJECT TO CHANGE.

327





## 3M

**A Smart Lens™ Photochromic Eyewear** Lightens and darkens with changing outdoor light conditions. Nylon brow and magnesium alloy spring-hinged temples. Soft, adjustable nosebridge.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
1 MMM-13407000005*	Clear	Photochromatic	1	EA	110.41

\* ANSI Z87.1-2010 Compliant; Meets the Traffic Signal Recognition Requirements of ANSI Z80.3-2008. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

## Honeywell UVEX®

**B Astro OTG® 3001 Safety Glasses** Easily fit over most prescription glasses. The scratch-resistant, Ultradura® hardcoated polycarbonate lenses resist impact and absorb 99.9% of UV rays. Adjustable temple length allows various sizes for customized comfort. Manufacturer's lifetime warranty on frame only.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
2 UVX-S2500*	Black	Clear	1	EA	12.64

\* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

**C Genesis® Safety Eyewear** The dual 9-base unilens offers peripheral vision and protection, while the soft, flexible fingers adjust and conform to most nasal profiles. Impact to the forehead is minimized by the soft elastomer brow. The scratch- and impact-resistant hardcoat is ideal for individuals working in labor-intensive environments. Manufacturer's lifetime warranty on frame only.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
3 UVX-S3200*	Black	Clear	1	EA	11.62
4 UVX-S3200X*	Black	Clear	1	EA	12.99

\* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.



**D Stryker Goggles** Anti-fog lenses provide chemical protection for your eyes. Indirect vent. Easy adjusting strap.

ID No.	Lens Color	Unit	Price
5 CRW-2310AF	Clear	EA	11.16

**E Safety Goggles** Provides a wide, unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body; fits over glasses.

ID No.	Lens Color	Unit	Price
6 CRW-2230R	Clear	EA	5.68
7 CRW-2220	Clear	EA	3.56

## Honeywell

**F A610S Safety Goggles** Economically protect yourself from airborne particulates, flying debris and chemical hazards. Indirect-venting design provides excellent impact and splash protection. Fog-Ban anti-fog coating. Manufacturer's limited one-year warranty.

ID No.	Lens Color	Unit	Price
8 UVX-A610S*	Clear	EA	3.74

\* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.



## 3M WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

## Honeywell UVEX®

**A Seismic® Sealed Eyewear** Protect your eyes from sun, wind, impacts and airborne debris without compromising your peripheral vision. Convertible design allows you to wear them as fully sealed goggles (using the included headband) or as wraparound safety glasses (using the included temple frame). Manufacturer's limited one-year warranty.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
<b>UVextra™ AF Anti-Fog Lens Coating</b>					
1	UVX-S0600X*	Black	Clear	1 EA	20.02

\* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.

**B Stealth® Safety Goggles** Low-profile design for chemical splash and impact protection. Uvextreme® AF lens coating provides antifog, antiscratch, antistatic and anti-UV protection. Prescription insert available.

ID No.	Lens Color	Unit	Price
2	UVX-S3960C*	Clear	EA 18.69

\* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

## 3M

**C Refine™ Protective Eyewear** Specially sized for the smaller face profile of women. Lightweight, slim frame design. Wrap-around lens for optimum protection. Padded, adjustable nosebridge.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
3	MMM-117350000020*	Teal	Clear	1 EA	11.26

\* ANSI Z87.1-2010 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



**D Skullerz® Odin Safety Glasses** Pick the king of safety glasses, with full frame safety glasses designed with rubber coinjection temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
4	EGO-50000*	Black	Clear Lens	1 EA	18.65
5	EGO-50080*	Black	In/Outdoor Lens	1 EA	18.65
6	EGO-50042*	Black	Silver Mirror Lens	1 EA	18.65
7	EGO-50030*	Black	Smoke Lens	1 EA	18.65
8	EGO-50400*	Matte Black	Clear Lens	1 EA	18.65
9	EGO-50442*	Matte Black	Silver Mirror Lens	1 EA	18.65
10	EGO-50430*	Matte Black	Smoke Lens	1 EA	18.65
11	EGO-50130*	Matte Gray	Smoke Lens	1 EA	18.65
12	EGO-50150*	Matte Gray	Yellow Lens	1 EA	18.65

**Fog-Off™ Technology**—Fog-Off™ Technology anti-fog coating won't wash off or wear off.

13	EGO-50003*	Black	Clear Lens	1 EA	24.15
14	EGO-50033*	Black	Smoke Lens	1 EA	24.15
15	EGO-50103*	Matte Gray	Clear Lens	1 EA	24.15
16	EGO-50133*	Matte Gray	Smoke Lens	1 EA	24.15

\* ANSI Z87.1+; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.

**E Skullerz® Dagr Safety Glasses** Sleek half frame™ blade style™ safety glasses are an excellent choice for everyday safety. Designed with coinjection rubber temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays. Temple accessory slot improves air flow.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
17	EGO-52000*	Black	Clear Lens	1 EA	18.21
18	EGO-52042*	Black	Silver Mirror Lens	1 EA	18.21
19	EGO-52030*	Black	Smoke Lens	1 EA	18.21
20	EGO-52100*	Matte Gray	Clear Lens	1 EA	18.21
21	EGO-52130*	Matte Gray	Smoke Lens	1 EA	18.21
22	EGO-52150*	Matte Gray	Yellow Lens	1 EA	18.21

\* ANSI Z87.1+; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.



**F Skullerz® Loki Safety Glasses/Goggles** Go a little loco with convenient Loki full frame safety glasses. They convert from safety glasses to a sealed goggle with interchangeable temples, elastic strap and removable foam gasket (all included). Scratch-resistant lens blocks 99.9% of harmful UV rays.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
23	EGO-56092*	Black	Blue Mirror Lens	1 EA	21.95
24	EGO-56000*	Black	Clear Lens	1 EA	21.95
25	EGO-56080*	Black	In/Outdoor Lens	1 EA	21.95
26	EGO-56030*	Black	Smoke Lens	1 EA	21.95

**Fog-Off™ Technology**—Fog-Off™ Technology anti-fog coating won't wash off or wear off.

27	EGO-56003*	Black	Clear Lens	1 EA	27.45
28	EGO-56033*	Black	Smoke Lens	1 EA	27.45
29	EGO-56133*	Matte Gray	Smoke Lens	1 EA	27.45

\* ANSI Z87.1+; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.

**G Skullerz® Elastic Retainer Strap** Elastic retainer strap secures safety glasses for a snug fit. Inserts into temple slots, twists and locks. Use alone or with foam gasket insert (sold separately). For use with Odin, Dagr, Kvasir, or Valkyrie safety glasses (sold separately).

ID No.	Qty.	Unit	Price
30	EGO-59991*	1 EA	3.25

\* ANSI Z87.1+.

## 3M WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



## 3M

**A Deluxe Headgear with Ratchet Adjustment** High-strength thermoplastic crown protector provides impact resistance. Five-position crown strap and adjustable ratchet suspension help provide a precise fit. No snaps, cams or bands needed. Must be used with 3M faceshields only (sold separately). Test compatible with 3M™ E-A-R fit™ Validation System.

ID No.	For Use With	Style	Unit	Price
1 MMM-82501-00000	* Faceshield Headgear	Five-Point Ratchet	EA	26.88

\* ANSI Z87.1-2010. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**B Deluxe Faceshield** Propionate faceshield is designed to reduce the risk of splash, spray and light impact with good chemical resistance. For use with Deluxe Headgear with ratchet adjustment (sold separately).

ID No.	For Use With	Style	Unit	Price
2 MMM-82700-00000	* Faceshield	Full Face	EA	14.13

\* ANSI Z87.1-2010. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

## Honeywell UVEX®

**C Bionic® Face Shield** Lightweight face shield provides all-day comfort and full protection from chin to the top of the head. Panoramic polycarbonate window furnishes increased visibility and minimal blind spots. Efficiently shuts out airborne dust, dirt and debris.

ID No.	For Use With	Style	Unit	Price
3 UVX-S8510	* Face Shield	Anti-Fog Visor	EA	57.77
4 UVX-S8500	* Face Shield	Uncoated Visor	EA	38.05

\* Face shield offers secondary protection and must be worn with spectacles or goggles.

## BAUSCH + LOMB

**D – F Sight Savers® Lens Cleaners** Keep glass or plastic lenses spotless with antifog, antistatic cleaner. Comes in dispenser box that can be attached to wall or placed on countertop.

**D Sight Savers® Lens Cleaning Station** Includes 16-oz. silicone cleaning fluid with spray pump and 1,520 tissues.

ID No.	W x L	Qty.	Unit	Price
5 BAL-8565	6.5" x 5"	1	EA	23.20

**E Sight Savers® Pre-moistened Lens Cleaning Tissues** Tissues come in individual packets.

ID No.	W x L	Qty.	Unit	Price
6 BAL-8574GM	8" x 5"	100	BX	17.95

**F Sight Savers® Respirator and Equipment Wipes** Alcohol-free, individually packaged tissues to clean respirator masks, hard hats, hearing protectors and other safety equipment. Won't irritate skin. Safe to use on rubberized materials.

ID No.	Color	Qty.	Unit	Price
7 BAL-8595	White	100	BX	22.85

## 3M WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.





## KIMTECH

**A Kimwipes Delicate Task Wipers** Wipes are designed to handle a variety of delicate tasks, including wiping up liquid and dust. **\$**

ID No.	Color	W x L	No. of Sheets	Qty.	Unit	Price
<b>Value Pack</b> —Stock up and save!						
1	KCC-34155CT	White	4 $\frac{3}{8}$ " x 8 $\frac{3}{4}$ "	280	16800 CT	324.86
2	KCC-34256CT	White	14 $\frac{1}{4}$ " x 16 $\frac{5}{8}$ "	140	2100 CT	361.05

**B KIMWIPES\* Lens Cleaning Station** A one-stop spot for lens cleaning. It includes a bottle of anti-static, anti-fog, silicone-free cleaning solution and soft, lens-friendly cleaning wipes.

ID No.	Color	Qty.	Unit	Price	
3	KCC-34644	White	4	CT	223.68



**C Lens Cleaning Towelettes** Premoistened towelettes are safe to use on plastic, polycarbonate and glass lenses. Specialized solution reduces fogging. Individual-use packets are easy-to-carry.

ID No.	Qty.	Unit	Price	
4	CRW-LCTCT	1000	CT	88.62

## BAUSCH + LOMB

**D Sight Savers Pre-Moistened Anti-Fog Tissues with Silicone** Individually packaged tissues treated with anti-fog formula for continuously clear glasses. Silicone based, anti-static formula cleans glass and plastic. Works in cold to hot and hot to cold conditions. Perfect for heavy and light industrial, office, sports and recreation. Excellent for non-coated glasses.

ID No.	W x L	Qty.	Unit	Price	
5	BAL-8576	8" x 5"	100	BX	24.20

**E Sight Savers® Non-Silicone Disposable Lens Cleaning Station** Make clean lenses an easy option with an all-in-one cleansing station, complete with wipes and spray. The spray bottle dispenses non-silicone based cleaner, making it a great option for employees with silicone allergies. Convenient dispenser can be wall-mounted to conserve space, and also makes an appealing countertop display.

ID No.	W x L	Qty.	Unit	Price	
6	BAL-8565GM	5" x 6.5"	1	EA	24.95

**F FogShield Extreme Protection Disposable Safety Lens Cleaning Station** FogShield protection lens cleaning kit provides an excellent option if your facility has extreme variations in temperatures or harsh conditions. Easy-to-use FogShield is applied in two steps – first spray and clean the surface with FogShield XP, then use a dry tissue to buff, polish, and coat the surface for extreme protection. Combining the effective cleaning of all glass and plastic lenses with extreme anti-fog protection, the FogShield XP Lens Cleaning Station can keep employees vision clear in all conditions.

ID No.	W x L	Qty.	Unit	Price	
7	BAL-8577	5" x 6.5"	1	EA	29.95



EYE PROTECTION





## Honeywell

**A Fendall Porta Stream® II Eye Wash Station** Flushes up to 15 minutes. Exclusive “full-flow” nozzles cover a wide area around the eyes.

ID No.	W × D × H	Size	Qty.	Unit	Price	
<b>With Eyosaline Concentrate (Saline)</b>						
1	FND-320002000000 *	19½" × 19½" × 26"	16 gal	1	EA	350.86

\* FND-320002000000—ANSI Z358.1-2014 Compliant.

**B Fendall Porta Stream® II Eye Wash Station** Flushes up to 15 minutes. Exclusive “full-flow” nozzles cover a wide area around the eyes.

ID No.	W × D × H	Size	Qty.	Unit	Price	
<b>With Water Additive</b> —Includes 8-oz Eyosaline® water additive.						
2	FND-320002300000 *	19" × 19¾" × 24"	16 gal	1	EA	417.72

\* FND-320002300000—FDA Approved Material; SEI Certified to Meet ANSI Z358.1 Requirements.

**C Fendall Single Eye Wash Wall Station** Be prepared for quick action when an eye needs to be flushed or decontaminated. This station helps provide relief until primary eyewash care can be provided. Includes single-use 32-oz. bottle of eye wash. Mounts easily with fasteners (included). Classified as a personal (secondary) device.

ID No.	W × D × H	Size	Qty.	Unit	Price	
3	FND-3200046100EA *	13" × 4½" × 14"	32 oz	1	EA	29.92
4	FND-320004610000 *	13" × 4½" × 14"	32 oz	8	CT	239.32

\* Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

### Also Consider:

ID No.	Description	Qty.	Unit	Price	
5	FND-3200045500EA	Honeywell® 32 oz. Refill Bottle	1	EA	11.21
6	FND-320005020000	Honeywell® Ready-to-Use Refill Bottles	4	CT	85.90
7	FND-320004550000	Honeywell® 32-oz. Refill Bottles	12	CT	193.03

**D Saline Eye Wash Wall Station** Wall-mountable saline solution kit allows immediate eye flushing until the injured person can be helped to a primary eyewash device. Brightly colored station is highly visible. Instructions in English and Spanish facilitate use in an emergency.

ID No.	W × D × H	Size	Qty.	Unit	Price	
8	FND-3200046200CT *	19" × 14" × 4"	32 oz	4	CT	242.62

\* ANSI Z358.1-2009 Compliant.

### Also Consider:

ID No.	Description	Qty.	Unit	Price	
9	FND-3200045500EA	Honeywell® 32 oz. Refill Bottle	1	EA	11.21
10	FND-320004550000	Honeywell® 32-oz. Refill Bottles	12	CT	193.03

**E Fendall Porta Stream® I Eye Wash Station** Has six-gallon capacity and six minutes of flushing time. Classified as personal (secondary) device.

ID No.	W × D × H	Size	Qty.	Unit	Price	
11	FND-320001000000 *	16" × 13½" × 24"	6 gal	1	EA	247.93

\* Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

### Also Consider:

ID No.	Description	Qty.	Unit	Price	
12	FND-320005090000*	Honeywell® 70 oz Saline Refill Bottles	6	CT	221.31



**Honeywell**

**A Fendall 2000™ Portable Eye Wash Station** Fifteen-minute 100% sterile eye wash station. Alarm sounds upon activation and completion of 15-minute flush. Easy to replace cartridge, which has a life of 24 months (sold separately). An integrated waste containment prevents spills and provides easy clean up. Constant flow rate meets ANSI Z358.1-2014 standard for primary eyewash station. ❌

ID No.	W × D × H	Size	Qty.	Unit	Price
1 FND-320020000000*	15½" × 34¾" × 17½"	6.87 gal	1	EA	457.82

\* ANSI Z358.1-2014 Compliant.

**Also Consider:**

ID No.	Description	Qty.	Unit	Price
2 FND-32ST20500000*	Sterile Saline Refill Cartridge	1	EA	459.96

**B Fendall Eyesaline Ready-to-Use Solution** Use directly from the container to fill eyewash stations. No mixing or measuring. Manufacturer's limited one-year warranty.

ID No.	Description	Description	Qty.	Unit	Price
3 FND-320005020000	1 gal Bottle	Honeywell® Ready-to-Use Refill Bottles	4	CT	85.99

**Also Consider:**

ID No.	Description	Qty.	Unit	Price
4 FND-320005130000*	Honeywell® 180 oz Saline Refill Bottles	4	CT	427.36

**boardwalk**

**C Emergency Eyewash Station** Convenient twin bottle eye flush station with wall mount provides easy access to solution in emergency situations. A reliable choice for use in flushing or irrigating the eyes. Includes eye cup for easily focusing the fluid stream into affected eye.

ID No.	W × D × H	Size	Qty.	Unit	Price
5 BWK-54842	10¾" × 3¾" × 17½"	16 oz	1	KT	29.44



**EYE CARE**

19-FA-L-RWL