

Skullgard® Protective Hard Hats Heavy-duty helmet provides excellent protection against nearly all workplace hazards. Phenolic construction withstands elevated temperatures. Easy-adjust pin lock suspension allows you get the right fit.

ID	No.	Color	Unit	Price
	Cap: Standard Size 61/2	- 8—Non-slotted.		
1	MSA-475395	Natural Tan	EA	<del>172.79</del>
	Hat: Standard Size 61/2	- 8—Non-slotted.		
2	MSA-475407	Natural Tan	EA	<del>189.62</del>
	Staz-On® Pin-Lock			
3	MSA-454617 *	Tan	EA	<del>153.90</del>

\* MSA-454617—ANSI Z89.1 Type 1, Class G Compliant.

**B V-Gard® Hard Hats** Premium hard hat provides comfortable protection. Polyethylene shell with ratchet suspension ensures excellent shock absorption while keeping weight down. Self-adjusting crown straps simplify sizing.

ID	No.	Color	Unit	Price		
	Standard: Size 6½ - 8-Non-s	slotted.				
4	MSA-475368	Blue	EA	30.42		
5	MSA-475367	Gray	EA	30.42		
6	MSA-475370	Green	EA	30.42		
7	MSA-10021292	Hi-Viz Orange	EA	30.42		
8	MSA-475371	Red	EA	30.42		
9	MSA-475369	White	EA	30.42		
10	MSA-475366	Yellow	EA	<del>30.41</del>		
11	MSA-475359	Blue	EA	<del>22.80</del>		
	Fas-Trac III Suspension: Star	dard Size 6½ - 8—Slotted.				
12	MSA-475358	White	EA	<del>22.80</del>		
	Staz-On Suspension: Standard Size 6½ - 8—Slotted.					
13	MSA-463942	White	EA	13.74		
	Standard: Size 61/2 - 8-Slotte	d.				
14	MSA-475360	Yellow	EA	<del>22.80</del>		

**(c)** Fas-Trac<sup>®</sup> III Replacement Suspension Fas-Trac<sup>®</sup> III ratchet suspension and flush rear lug attachments eliminate pressure points. Three levels of nape strap adjustment allow for a comfortable, customized fit. Graspable ratchet with ultra-smooth rotation and steadfast hold.

ID No.	For Use With	Style	Unit	Price
15 MSA-10148708 <b>≭</b>	4-Point	Fas-Trac® III	EA	18.74
	Ratchet Suspension			

\* Third-party tested by SEI to comply with standards defined on label in MSA helmet.



① Skullerz® 8950 Bump Cap Select comfort and protection in one very cool lid—bump caps provide protection against cranial bumps and bruises. Removable impact-resistant shell with foam lining. Patented flanged design for comfort and air flow. Sturdy caps with reflective accents for easy visibility.

TOT GUSY VISIBILITY.			
ID No.	Color	Unit	Price
Long Brim			
16 EGO-23344 *	Black	EA	28.22
17 EGO-23345 *	Navy	EA	28.22
Short Brim	,		
18 EGO-23340 *	Black	EA	28.22
19 EGO-23343 *	Navy	EA	28.22
* EN 812-Compliant.	·		







(3) Skullerz® 8960 Bump Cap with LED Lighting Technology Select comfort and protection in one very cool lid—bump cap with LED lighting technology provides protection against cranial bumps and bruises. Built-in LED lighting under the brim illuminates projects without the need for a flashlight or bulky headlamp. Removable impact-resistant shell with foam lining for protection and added comfort.

ID No.	Color	Unit	Price
Long Brim			
20 EGO-23374 *	Black	EA	<del>47.03</del>
21 EGO-23375 *	Navy	EA	<del>47.03</del>
Short Brim			
22 EGO-23370 *	Black	EA	<del>47.03</del>
23 EGO-23373 *	Navy	EA	<del>47.03</del>

\* EN 812-Compliant.









# **3M**

A H-700 Series Hard Hat Protective hard hat with comfortable four-point ratchet suspension and standard brow pad.

ID	No.	Color	Unit	Price
1	MMM-H-701R <b>≭</b>	White	EA	<del>19.18</del>
2	MMM-H-702R ★	Yellow	EA	<del>19.18</del>
	Vented			
3	MMM-H-701V *	White	EA	20.53

\* MMM-H-701R, MMM-H-702R—Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class G and E.

MMM-H-701V—Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C.



© Cotton Hard-Hat Sweathand Make your hard hat a little more comfortable with this soft and absorbent sweathand. Plastic snaps keep band securely in place. All-cotton fabric stands up to repeated machine washing.

ID	No.	Color	Size	Ωty.	Unit	Price
	Compatible With A	II MSA Helmets				
4	MSA-696688•	White	One Size Fits All	10	PK	103.20



**© Chill-Its® 6609 Terry Sweat Band 12440** Machine washable. Absorbent terrycloth sweatband, fits most hard hat suspension systems. Economical way for hard hat wearers to manage moisture.

ID	No.	For Use With	Style	Unit	Price
5	EGO-12440•	Hard Hat	Terry	EA	3.14

### **KLEENGUARD**

A65 Flame Resistant Coveralls Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible. Breathable material with a high moisture vapor transmission rate; to be worn comfortably over flame-resistance garments.

ID	No.	Color	Size	Qty. Unit	Price		
Hood and Boots, Elastic Wrists and Ankles							
6	KCC-45355• ★	Blue	2X-Large	25 CT	<del>372.71</del>		
7	KCC-45356• ★	Blue	3X-Large	21 CT	<del>372.71</del>		

\* NFPA 99 Compliant; NFPA 701 Compliant.

### **KLEENGUARD**

⚠ A60 Elastic-Cuff and Back Coveralls Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Passes ASTM F1670/1671 testing for penetration of blood, body fluids and bloodborne pathogens. Patented REFLEX\* Design is 7½ times less likely to rip out than ANSI minimums — provides 12% more chest room and 6% longer body length.

ID	No.	Color	Size	Qty.	Unit	Price			
	Elastic Wrists and Ankles with Storm Flap								
1	KCC-45003• ★	Blue	Large	24	CT	<del>345.16</del>			
2	KCC-45004• ★	Blue	X-Large	24	CT	<del>345.16</del>			
3	KCC-45005• ★	Blue	2X-Large	24	CT	<del>345.16</del>			

<sup>\*</sup> Conforms to ASTM F1670 Standards.

3 A60 Bloodborne Pathogen & Chemical Splash Protection Coveralls Protection against bloodborne pathogens in forensic or other environments where exposure to blood is possible. A60 also provides protection against some chemicals. Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Seamless front provides more protection in primary exposure areas. Outer layer provides protection of film barrier against tearing and abrasion.

ID	No.	Color	Size	Qty.	Unit	Price		
Zipper Front; Elastic Back, Wrists, Ankles and Hood								
4	KCC-45094•	Denim Blue	X-Large	24	CT	394.95		
5	KCC-45095•	Denim Blue	2X-Large	24	CT	394.95		

**● A40 Zipper Front Liquid and Particle Protection Coveralls** Coveralls have better liquid and particulate barrier than TYVEK®. Zipper front close makes them easy to put on and take off. Made of breathable, microporous film laminate which is low lint.

ID	No.	Color	Size	Qty.	Unit	Price
	Elastic Wrists and Ar	ıkles				
6	KCC-44314	White	X-Large	25	CT	153.35
7	KCC-44315• ★	White	2X-Large	25	CT	<del>219.30</del>
8	KCC-44316• <b>≭</b>	White	3X-Large	26	CT	<del>231.20</del>
9	KCC-44317• <b>≭</b>	White	4X-Large	25	CT	<del>242.25</del>
	Hood and Boots, Elas	tic Wrists and Ank	les			
10	KCC-44333•	White	Large	25	CT	<del>258.40</del>
11	KCC-44334• <b>≭</b>	White	X-Large	25	CT	<del>228.00</del>
12	KCC-44335• ★	White	2X-Large	25	CT	<del>258.40</del>
13	KCC-44336• ★	White	3X-Large	25	CT	<del>271.15</del>
14	KCC-44337• <b>≭</b>	White	4X-Large	25	CT	<del>285.60</del>
	Hooded, Elastic Wris	ts and Ankles				
15	KCC-44323• ★	White	Large	25	CT	233.75
16	KCC-44324• ★	White	X-Large	25	CT	233.75
17	KCC-44325• ★	White	2X-Large	25	CT	233.75
	Open Wrists and Ank	les				
18	KCC-44303•	White	Large	25	CT	<del>233.75</del>
19	KCC-44304	White	X-Large	25	CT	<del>137.90</del>
20	KCC-44305•	White	2X-Large	25	CT	<del>137.90</del>

<sup>\*</sup> KCC-44315, KCC-44336, KCC-44323, KCC-44324, KCC-44325—Conforms to ASTM F1670 Standards.

KCC-44316, KCC-44317—NFPA 99 Compliant.

KCC-44334—Passes NFPA 99 criteria for antistatic materials.

KCC-44335—Conforms to ANSI/ISEA 101 Sizing Standards; Conforms to ASTM F1670

Standards; Passes NFPA 99 criteria for antistatic materials.

KCC-44337—Conforms to ANSI/ISEA 101-1996 Standard.





#### KLEENGUARD

\* Conforms to ANSI/ISEA 101 Sizing Standards.

(A) A35 Coveralls Ensure safety with coveralls made from breathable, microporous laminate. Lightweight and comfortable. Zipper front makes it easy to put on and quick to remove.

ID	No.	Color	Size	Qty.	Unit	Price				
	Zipper Front, Hooded, Elastic Wrists and Ankles									
1	KCC-38938• ×	k White	Large	25	CT	148.75				
2	KCC-38939• ×	k White	X-Large	25	CT	148.75				
3	KCC-38941• ×	White	2X-Large	25	CT	148.75				

B A30 Elastic-Back Zipper Front Coveralls Features Patented Reflex\* design, which offers excellent fit (with elastic back) and freedom of movement. The material is strong and abrasion resistant, and filters out many water-based liquids and dry particles.

ID	No.	Color	Size	Qty.	Unit	Price
	Elastic Wrist and Ankles,	1-Inch Flap				
4	KCC-46104•	White	X-Large	25	CT	<del>241.40</del>
	Hooded, Elastic Wrist and	Ankles, 1-Inch	Flap			
5	KCC-46114•	White	X-Large	25	CT	<del>256.70</del>
6	KCC-46115•	White	2X-Large	25	CT	<del>256.70</del>
	Open Wrists and Ankles,	1-Inch Flap				
7	KCC-46004•	White	X-Large	25	CT	229.50
8	KCC-46005•	White	2X-Large	25	CT	229.50

• A20 Breathable Particle Protection Coveralls Design minimizes the potential for rips and tears while providing more chest room than average. The material is strong and abrasion-resistant, and filters out many waterbased liquids and dry particles.

ID No.	Color	Size	Qty.	Unit	Price
Hood, Elastic Back, V	rists and Ankles	;			
9 KCC-49115•	White	2X-Large	24	CT	153.89
10 KCC-49116•	White	3X-Large	20	CT	134.39
Hood, Elastic Wrists a	and Ankles				
11 KCC-49114•	White	X-Large	24	CT	220.32
Zipper Front, Open W	rists and Ankles				
12 KCC-49003• ★	White	Large	24	CT	186.05
13 KCC-49004•	White	X-Large	24	CT	186.05
14 KCC-49005•	White	2X-Large	24	CT	186.05
15 KCC-49006•	White	3X-Large	20	CT	<del>162.52</del>
* KCC-49003—NFPA 99	Compliant.				

## **QUPOND**

① Tyvek® Elastic-Cuff Hooded Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Attached respirator-fit hood has elastic around face opening and protects neck and chin.

ID No.	Color	Size	Qty.	Unit	Price
16 DUP-TY127SL• ★	White	Large	25	CT	202.95
17 DUP-TY127SXL• ★	White	X-Large	25	CT	<del>202.95</del>
18 DUP-TY127S2XL• <b>★</b>	White	2X-Large	25	CT	<del>215.15</del>
19 DUP-TY127S3XL• ★	White	3X-Large	25	CT	<del>228.05</del>

AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.



♠ ProShield® NexGen® Coveralls Ideal for use in automotive refinishing, waste cleanup and remediation and other fields. ProShield® NexGen® material is made of microporous film laminated to polypropylene substrate. Protects against non-hazardous particles, light liquid splashes and aerosols.

ID	No.	Color	Size	Qty.	Unit	Price
1	DUP-NG120SXL• ★	White	X-Large	25	CT	137.55
2	DUP-NG120S2XL• ★	White	2X-Large	25	CT	137.55
	Zipper Front					
3	DUP-NG120S3XL• ★	White	3X-Large	25	CT	145.78

DUP-NG120SXL, DUP-NG120S2XL—AATCC 127 Compliant; Conforms to ASTM D751 Standards. Should not be worn in the presence of strong acids. DUP-NG120S3XL—Conforms to ASTM F739 Standards.

Tyvek® Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Effective barrier for particles down to 1 micron in size.

ID	No.	Color	Size	Qty.	Unit	Price
4	DUP-TY120SL• ★	White	Large	25	CT	167.68
5	DUP-TY120SXL ★	White	X-Large	25	CT	167.68
6	DUP-TY120S2XL *	White	2X-Large	25	CT	<del>177.70</del>
7	DUP-TY120S3XL• *	White	3X-Large	25	CT	188.38

\* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

● Tyvek® Elastic-Cuff Hooded Coveralls With Attached Boots Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Attached Tyvek® FC boots have special coating to provide added skid-resistance.

ID	No.	Color	Size	Qty.	Unit	Price
8	DUP-TY122SL• ★	White	Large	25	CT	205.95
9	DUP-TY122SXL ★	White	X-Large	25	CT	205.95
10	DUP-TY122S2XL• ★	White	2X-Large	25	CT	218.35
11	DUP-TY122S3XL• ★	White	3X-Large	25	CT	<del>231.45</del>

<sup>\*</sup> AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

# boardwalk

Disposable Coveralls Manufactured from lightweight, spunbonded polypropylene material, these disposable long sleeve coveralls are ideal for general applications where coolness and comfort are top priority. Features serged seams and an attached elastic hood and elastic wrists and ankles. Convenient zipper front closure. General coveralls are not liquid proof, but they are an excellent choice for dirty areas.

ID	No.	Color	Size	Qty.	Unit	Price
12	BWK-00032S• <b>≭</b>	White	Small	25	CT	<del>112.48</del>
13	BWK-00032M• <b>≭</b>	White	Medium	25	CT	<del>112.48</del>
14	BWK-00032L• ★	White	Large	25	CT	<del>112.48</del>
15	BWK-00032XL• ★	White	X-Large	25	CT	<del>112.48</del>
16	BWK-0032XXL• ★	White	XXL	25	CT	<del>126.40</del>

**☀** Made of FDA Accepted Materials.

















## **OUPOND**

⚠ Tyvek® IsoClean® Sleeves Sturdy sleeves provide an excellent barrier to dry particles, microorganisms and non-hazardous liquids. Breathable, lightweight, and durable for long-term use. Sleeves extend from wrist to bicep with covered elastic ends for complete coverage.

ID	No.	Color	Size	Qty.	Unit	Price
1	DUP-IC501BWB•	White	One Size Fits Most	100	CT	126.20

**③ Tyvek® Sleeves** Durable Tyvek® material offers barrier to particles down to 1 micron in size. Arm sleeves have elastic at both ends for secure fit. One size fits most.

ID	No.	Color	Size	Qty.	Unit	Price
2	DUP-TY500S *	White	One Size Fits All	200	CT	106.80

AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

© Tyvek® Apron Provides enhanced frontal protection from the chest to past the waistline. Durable Tyvek® material. Ties at the waist.

İD	No.	Color	Size	Qty.	Unit	Price
3	DUP-TY273BWH ★	White	One Size Fits All	100	CT	160.90

\* Conforms to ASTM F739 Standards.

### KLEENGUARD

 A20 Breathable Particle Protection Apron Universal size apron made of a breathable barrier SMS fabric, which helps protect against hazardous and non-hazardous dust. Strong and abrasion-resistant for extended wear.

ID	No.	Color	Size	Qty.	Unit	Price
4	KCC-36550•	White	One Size Fits All	100	CT	149.60

(a) A40 Liquid & Particle Protection Aprons Breathable, microporous film laminate combines comfort and protection in a clean, white apron. Aprons offer a sturdy liquid and particle protection barrier. Low-linting aprons are a solid safety choice.

ID	No.	Color	Size	Qty.	Unit	Price
5	KCC-44481• ★	White	One Size Fits All	100	CT	241.40

\* Passes NFPA 99 criteria for antistatic materials.

• A10 Breathable Particle Protection Sleeve Protectors Protective sleeves made from a lightweight, polypropylene material provide additional protection on the job. Comfortable fit. Elastic top adjusts easily for assorted sizes. Designed for entry level hazardous dust protection.

ID	No.	Color	Qty.	Unit	Price
6	KCC-23610•	White	2	CT	97.92



**(i)** Rainsuit Two-piece rainsuit made of durable PVC polyester offers both protection and comfort. Adjustable elastic suspenders on overalls assure a customizable fit. Jacket has a vented cape back and five-snap front closure with storm flap.

ID	No.	Color	Size	Qty.	Unit	Price
7	ANR-9000L	Yellow	Large	1	EA	10.50
8	ANR-9000XL	Yellow	X-Large	1	EA	<del>10.50</del>
9	ANR-90002XL	Yellow	2X-Large	1	EA	<del>10.50</del>











#### KLEENGUARD

A20 Breathable Particle Protection Shoe Covers Slip-on covers designed to protect against hazardous and non-hazardous dust. They feature surged seams and are fully elasticized for a formed fit. They are 6.5" tall and are one size fits all.

ID	No.	Color	Size	Qty.	Unit	Price
	Shoe Covers					
1	KCC-36885	White	One Size Fits All	300	CT	140.40

## **QUPOND**

Tyvek® Shoe Covers Covers feet in a barrier that keeps out particles down to 1 micron in size. Durable Tyvek® material. Elastic top helps secure cover to almost any size shoe.

ID	No.	Color	Size	Qty.	Unit	Price
2	DUP-FC450S• ★	Gray	One Size Fits All	200	CT	141.80
3	DUP-TY450S• ★	White	One Size Fits All	200	CT	105.40

\* AATCC 127 Compliant; Conforms to ASTM D1777 Standards.

© Tyvek® FC Boot Cover Protect precious footwear with sturdy boot covers made of Tyvek® FC. Protective fabric with a skid resistant friction coating. High boot cover with elastic top provides complete coverage up to calf.

ID	No.	Color	Size	Qty.	Unit	Price
4	DUP-FC454S•	Gray	One Size Fits Most	100	CT	111.40



Polypropylene Non-Skid Shoe Covers Shoe covers are made from breathable, fluid-repellent spunbond material. Non-skid tread on bottom offers good traction. Regular/Large fits up to men's size 12.

ID	No.	Color	Size	Qty.	Unit	Price
5	MII-CRI2002	Blue	Large	100	ВХ	18.30

## boardwalk

Disposable Shoe Covers Sturdy, disposable shoe covers are constructed with tear and puncture resistant spunbond polypropylene. Elastic at the ankles for a comfortable fit. They provide particulate protection and keep out dirt and dust. These protective covers are excellent for work in dirty areas.

ID	No.	Color	Size	Qty.	Unit	Price
6	BWK-00031L• ★	White	Large	50	PK	21.44
7	BWK-00031XL• ★	White	X-Large	50	PK	<del>21.44</del>

\* Made of FDA Accepted Materials.