



**A – E Particulate Respirators** When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µmMMAD Sodium Chloride particle challenge.

**A Particulate Respirator 8210, N95** Suggested for grinding, sanding, sweeping and other non-oil based operations. Proprietary filter media.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
1	Non-Oil Based Particles	N95	Standard	20	BX	26.19
<b>Plus Staple-Free Braided Headband</b>						
2	Non-Oil Based Particles	N95	One Size Fits All	20	BX	33.52

★ NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**B Particle Respirator 8200, N95** Suggested for applications such as bagging, sanding and sweeping. Advanced electrostatically charged microfibers designed for ease of breathing.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
3	Non-oil based particles	Unvalved N95	Standard	20	BX	17.52

★ NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**C Particulate Respirator 8210V, N95 with Cool Flow™ Valve** Half-face-mask respirator provides excellent protection from non-oil-based particulates. Cool Flow™ exhalation valve reduces heat buildup, keeping the wearer more comfortable. Designed for grinding, sanding, sweeping and other dust-creating tasks.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
4	Non-Oil Based Particles	N95	Standard	10	BX	23.10

★ NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**D Particulate Respirator 8211, N95** Particulate respirator is ideally suited for hot and humid environments. Light construction makes it less obtrusive for long periods of wear. Cool Flow™ Exhalation Valve aids breathing and reduces moisture buildup.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
5	Non-Oil Based Particles	N95	One Size Fits All	10	BX	47.53

★ NIOSH Approved. Do not use for: gases and vapors, oil aerosols, asbestos, arsenic, cadmium, lead, 4,4'-methylene dianiline (MDA) or sandblasting; concentrations that exceed 10 times the PEL/OEL, specific OSHA standards, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.

**E Particulate Welding Respirator 8212, N95** Disposable respirator protects against exposure to molten metal fumes. Cool Flow™ Exhalation Valve minimizes moisture and heat build-up. Contoured foam face seal helps enhance comfort levels.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
6	Non-Oil Based Particles	N95	One Size Fits All	10	BX	94.86

★ NIOSH Approved.



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



**A Procedure Mask with Earloops** Provides complete protection while remaining light and comfortable. Polypropylene outer facing offers a soft, fluid protection barrier while the cellulose inner facing assures comfort and breathability. A full-width nosepiece guarantees proper fit.

ID No.	Size	Qty.	Unit	Price
1 MII-NON27375Z	One Size Fits All	50	BX	17.15



**B Nuisance Dust Mask** Disposable dust mask effectively reduces your exposure to airborne particles such as pollen, cut grass, dirt and dust. Adjustable nosepiece enhances comfort. Durable design stands up to moisture and high-humidity environments.

ID No.	Size	Qty.	Unit	Price
2 GSN-1501 *	One Size Fits All	50	BX	8.44

\* Does not provide NIOSH-Approved respiratory protection.



**C – F Particulate Respirators** When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µmMMAD Sodium Chloride particle challenge.

**C Particulate Respirator 8511, N95 with Cool Flow™ Exhalation Valve** Suggested for grinding, sanding, sweeping and other non-oil based operations. Suited for heat, humidity or long periods of wear.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
3 MMM-8511 *	Non-Oil Based Particles	N95	Standard	10	BX	31.20

\* NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**D N95 Particulate Respirator 8247 With Nuisance-Level Organic Vapor Relief** Chemical absorbent removes odors. Lightweight construction and contoured fit enhance comfort and wear-time. Easy to breathe through even without an exhalation valve.

ID No.	Rating	Size	Qty.	Unit	Price
4 MMM-8247 *	N95	One Size Fits All	20	BX	108.93

\* NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

**E Particulate Respirator 8271, P95 Respirator** provides P95 level protection in environments where grinding, sanding and other dust inducing operations occur. Advanced electret filter technology blocks particles without impeding airflow. Contoured faceseal and adjustable M-noseclips help enhance long-term wearing comfort.

ID No.	Rating	Size	Qty.	Unit	Price
5 MMM-8271 *	P95	One Size Fits All	10	BX	53.81

\* NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



**F Particulate Respirator 8577, P95 Respirator** provides P95 level protection against oil and non-oil based aerosols. Added carbon-layering to the filter helps minimize organic vapor bleed-through. Lightweight design and adjustable M-noseclip enhance comfort levels, particularly over extended use periods.



ID No.	Rating	Size	Qty.	Unit	Price
6 MMM-8577 *	P95	One Size Fits All	10	BX	69.26

\* NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

RESPIRATORY PROTECTION



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



**A Comfort Masks** Keep a pack of these disposable masks with you for breathing relief from the irritating effects of nontoxic dusts and airborne particles such as pollen, common household dust and cut grass. Plastic headband and adjustable soft metal nose clip.

ID No.	Size	Qty.	Unit	Price
1 FAO-13259	Adjustable	5	PK	10.10

## boardwalk.

**B N95 Disposable Particulate Respirator** Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Elastic, double headbands provide a strong, secure fit.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
2 BWK-00018*	Non Oil & Solid Particulate	N95	One Size Fits All	20	BX	33.48

\* NIOSH-N95 & 42CRF84 Approved.

**C N95 Disposable Respirator With Valve** Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Convenient exhalation valve. Elastic double headbands provide a strong, secure fit.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
3 BWK-00019*	Non Oil & Solid Particulate	N95	One Size Fits All	10	BX	29.49

\* NIOSH-N95 & 42CRF84 Approved; Made of FDA Accepted Materials.

## JACKSON<sup>®</sup>

**D R10 N95 Particulate Respirator** Provides safety without sacrificing comfort, with adjustable, soft-foam nose pad. Highly visible, color-coded knit elastic straps are ultrasonically attached and adjustable for additional comfort. Dual exhalation valves are designed to reduce eyewear fogging. Not made with natural rubber latex.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
<b>Dual Valve and Comfort Straps</b>						
4 KCC-64260*	Dust	N95	One Size	10	BX	34.61
<b>No Valve and Knitted Elastic Straps</b>						
5 KCC-64230*	Dust	N95	One Size Fits All	20	BX	28.36

19-FA-L-RNL



**A Half Facepiece Respirator 6000 Series, Reusable** Here's the solution for workers who frequently need a respirator for job after job. It's reusable—just replace cartridges and filters when used to capacity. Comfortable, soft and lightweight with easy-to-adjust headstraps. Suitable for use against a variety of gases, vapors, and particulate hazards. Filters and cartridges sold separately. For Use With 3M 2000 Series Filters; 3M 7093 P100 Filters; 3M 6000 Series Cartridges; 3M Dual Airline Systems.

ID No.		Size	Unit	Price
1	MMM-6291 *	Medium	EA	29.93
2	MMM-6391• *	Large	EA	29.93

\* NIOSH Approved. **IMPORTANT:** The 3M products in this catalog must be used in accordance with OSHA regulations, warning, and limitations that accompany each item.

**Also Consider:**

ID No.	Description	Qty.	Unit	Price
3	MMM-6001 Organic Vapor Cartridge	2	PK	47.55



**B Premium Particulate Respirator** Premium particulate respirator offers N99 protection for applications such as welding, metal pouring, torch cutting and brazing. Softspun® liner adds durability and comfort. Dura-Mesh® shell holds up in extreme heat and humidity. 10 per pack.

ID No.		Size	Unit	Price
4	MLX-2310N99• *	One Size Fits All	PK	64.56

\* NIOSH Approved.

**C HandyStrap® Respirator 2700N95 Series** Convenient HandyStrap® allows you to keep the mask in an at-the-ready, hangdown position during brief periods of downtime. Ventex® valve facilitates heat dissipation, enabling easier breathing. Dura-Mesh® shell holds up in extreme heat and humidity.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
5	MLX-2700N95 *	Particulates	N95	10	BX	48.21

\* NIOSH Approved.

**D Particulate Respirator 2200N95 Series** For humid and/or dusty work environments, this is a mask that fits the bill. Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter. Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
6	MLX-2200N95 *	Non-Oil Based Particles	N95	20	BX	32.21

\* NIOSH Approved.

**E Particulate Respirator 2300N95 Series** Durable particulate respirator is suitable for most welding applications. Exhale valve reduces hot-air buildup, keeping workers cooler. Dura-Mesh® shell protects filter from extreme heat conditions.

ID No.	Resistance	Rating	Size	Qty.	Unit	Price
7	MLX-2300N95 *	Non-Oil Based Particles	N95	10	BX	39.52

\* NIOSH Approved.

**F Particulate Respirator, 2400N95 Series** Added carbon layer effectively filters out ozone and organic vapors. Dura-Mesh® shell holds up in extreme heat and humidity. Effective against most non-oil based welding fumes.

ID No.		Rating	Size	Qty.	Unit	Price
8	MLX-2400N95 *	N95	Medium/Large	10	BX	67.18

\* NIOSH Approved.



RESPIRATORY PROTECTION



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



### 3M

**A Full Facepiece Respirator 6000 Series, Reusable** Protect yourself from a variety of gas, vapor and particulate hazards. Full facepiece features a large, clear lens, giving you a wide field of vision and excellent overall visibility. Unique center adapter directs exhaled breath downward, effectively reducing liquid and debris buildup.

ID No.	Size	Rating	Qty.	Unit	Price
1 MMM-6800	Medium	P100	1	EA	210.06
2 MMM-6900	Large	P100	1	EA	210.06

### Honeywell



**B 7600 Series Full-Facepiece Respirator Mask** Superior performance, fit, comfort and visibility: get it all with the 7600 Series. Wide lens provides an excellent, 200° field of vision. Dual-flange sealing area and five-strap harness provide a comfortable fit. Supports PAPR and Supplied Air systems.

ID No.	Size	Unit	Price
3 NSP-760008A* *	Medium/Large	EA	330.52

\* NIOSH Certified. Wide range of cartridges and filters available (sold separately).

**C 7700 Series Half Mask Respirators** Comfortable half masks are suitable for multiple work environments and can be adapted to PAPR or Supplied Air systems. Because of low "dead air" space within the mask, less exhaled air is recycled. Strategic placement of the exhalation valve means that more breath leaves the mask swiftly. For Use With North Safety® Respirator Cartridges/Filters.

ID No.	Size	Unit	Price
4 NSP-770030M	Medium	EA	38.51
5 NSP-770030L*	Large	EA	38.51

**D P100 All-Particulate Filter Cartridge** Keep your mask in top shape by regularly replacing your filter. Standard filter cartridge design accommodates all compatible masks. Easy to replace. For Use With North Safety® 5400, 5500, 7600, 7700 Series Facepieces.

ID No.	Type	Used With	Rating	Unit	Price
6 NSP-7580P100	Particulate	North Safety® 5400, 5500, 7600, 7700 Series Facepieces	P100	PR	11.70

### 3M

**E Particulate Filter 5P71, P95** Approved 95% effective against certain oil- and non-oil-based particles. For use with 501 Filter Retainer (sold separately).

ID No.	Type	Used With	Rating	Qty.	Unit	Price
7 MMM-5P71 *	Filter	For use with 501 Filter Retainer (sold separately).	P95	10	BX	27.24

\* NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



### 3M ⚠ WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.