

HEADLINE
SIGN

A Glow in the Dark Sign Design promotes high visibility from a distance. Made of durable, tear-resistant plastic. Graphics glow in the dark for added safety.

ID No.	Color	Material	Message(s)	Size	Unit	Price
1	USS-4792	Red	Durable Plastic	Exit	8 × 12	EA 4.95
2	USS-4793	Red	Durable Plastic	Fire Extinguisher	4 × 13	EA 4.95

B ADA Sign Universally and easily recognizable white graphics. Raised tactile graphics with grade 2 braille. Meets Americans with Disabilities Act (ADA) requirements. Includes double-side adhesive tape for mounting to door or wall.

ID No.	Color	Material	Message(s)	Size	Unit	Price
3	USS-4726 *	Gray	Molded Plastic	Employees Must Wash Hands Before Returning to Work	6 × 9	EA 14.95

* ADA Compliant.

TRUSTED QUALITY SINCE 1962
RUST-OLEUM

GripAll

C XtremeGrip® Studded Anti-Slip Adhesive Strips This versatile anti-slip solution is composed of a polyurea substrate covered in a durable anti-slip aggregate attached via a strong self-adhesive back. Embedded steel studs create a heavy-duty durable surface to protect against slips. Patented stud design defeats debris that may compromise traction. Mud, wet leaves, grass clipping, oil, snow and ice are no match. These stair treads are easily cut to custom sizes and can be screwed down for additional security. Ideally suited for interior and exterior applications.

ID No.	Color	W × L	Qty.	Unit	Price
Black					
4	RST-XGBK0524*	5" × 24"	10	PK	485.99
Yellow					
5	RST-XGYL0524*	5" × 24"	1	EA	496.99

D LavaGrip® Anti-Slip Adhesive Strips This versatile anti-slip solution is composed of a polyurea substrate covered in a durable anti-slip aggregate attached via a strong self-adhesive back. Textured surface for ensures sure footing- yet still gentle enough for barefoot traffic. These are easily cut to custom size and can be screwed down for additional security. Ideally suited for interior and exterior applications.

ID No.	Color	W × L	Unit	Price
Black				
6	RST-LGBK0248*	2" × 48"	EA	20.49
Yellow				
7	RST-LGYL0648*	6" × 48"	EA	47.99

3M

E - G Maintenance Sorbents Lightweight, versatile, and takes just minutes to put in place. Dust-free and contains no abrasive granules that can damage expensive equipment. Can be incinerated or fuel blended, leaving less than 0.2% ash. Wring out and reuse numerous times with virtually no loss of sorbent capacity. Allows you to get at the source of a leak before it becomes a bigger problem.



E High-Capacity Maintenance Sorbent Pad Highly absorbent and nongranular so it's perfect for placing directly on machinery. Will not damage plant equipment. Low profile so it fits in tight places. Tuck it in or around machines to catch and contain leaks at the source.

ID No.	Absorbing Volume (Unit)	W × L	Qty.	Unit	Price
Maintenance Pad —Ideal for placing in, under and around machines to catch drips.					
8	MMM-M-PD1520DD *	0.375 gal per pad	15½" × 20½"	100 CT	143.49

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

F High-Capacity Maintenance Folded Sorbent Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means you stock one product to meet your sorbent needs. Perforations every 16 inches allow you to select the length required, so there's less wasted sorbent. Comes in a handy dispenser box for easy, on-site use. 3M's high capacity sorbent technology: has increased fluid-holding capacity which means less sorbent used; allows for simple reclamation for recycling of valuable liquids and re-use of sorbent; and minimizes sorbent waste for disposal.

ID No.	Absorbing Volume (Unit)	W × L	Qty.	Unit	Price
9	MMM-M-FL550DD* *	10½ gal	5" × 50 ft	1 BX	67.38

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

G High-Capacity Petroleum Sorbent Pads High-capacity pad ensures superior fluid-holding performance, allowing you to do more with less. Specially treated fibers absorb petroleum-based liquids while repelling water. Reinforced edge provides greater strength and minimizes linting.

ID No.	Absorbing Volume (Unit)	W × L	Qty.	Unit	Price
10	MMM-28991* *	0.375 gal per pad	17" × 19"	100 CT	112.19

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

3M **WARNING!**

FAILURE TO PROPERLY HANDLE AND DISPOSE OF SORBENTS CONTAMINATED BY HAZARDOUS MATERIALS MAY RESULT IN SERIOUS PHYSICAL INJURY OR DEATH AND/OR ENVIRONMENTAL HARM. For proper handling, consult the *Safety Data Sheet* for the material adsorbed, and applicable safety and health standards, contact your supervisor, or call 3M at 1-800-243-4630. To reduce the risk of serious injury or death, adequate precautions should be taken when handling or storing sorbents contaminated by hazardous materials, and appropriate personal protective equipment should be worn. Transportation and disposal of container and its contents must comply with applicable laws and regulations. 3M™ Maintenance Sorbents and 3M™ Petroleum Sorbents must not be used with aggressive liquids, including caustics, acids, oxidizers, and reactive chemicals. 3M™ Chemical Sorbents can adsorb most acids, bases, and other hazardous fluids. For further information regarding chemical compatibility, contact 3M.

SEE ALL®

A – D Security Mirror Scan unguarded aisles, eliminate blind intersections, monitor production areas and safeguard entrances and exists. Detection mirrors are curved to eliminate distortion.

A Portable Convex Mirror OSHA-compliant, Plexiglas® convex clip-on security mirror with expanded view and articulating arm adapts to a variety of safety and security uses. 160° view angle. Manufacturer's one-year warranty against defects.

ID No.	Size	For Areas Up To	Unit	Price
1 SEE-ICU7 ★	7"	7 ft	EA	25.50
2 SEE-ICU10 ★	10"	10 ft	EA	36.00

★ Meets OSHA Requirements.

B Full Dome Mirror Panoramic® 360° viewing area, suspended from ceiling. Use for high-hazard areas. Plexiglas®.

ID No.	Size	For Areas Up To	Unit	Price
3 SEE-PV18-360★	18"	300 sq ft	EA	104.00

★ Meets OSHA Requirements.

C Half-Dome Mirror Panoramic® 180° viewing area for collision protection at intersections, as well as surveillance. Plexiglas®.

ID No.	Size	For Areas Up To	Unit	Price
4 SEE-PV18-180★	18"	150 sq ft	EA	65.00
5 SEE-PV26-180★	26"	200 sq ft	EA	100.00

★ Meets OSHA Requirements.

D 160° Convex Security Mirror Double-strength glass. Adjusts for many viewing angles.

ID No.	Size	For Areas Up To	Unit	Price
Circular				
6 SEE-N12 ★	12"	10 sq ft	EA	45.00
7 SEE-N18 ★	18"	15 sq ft	EA	61.00
8 SEE-N26 ★	26"	20 sq ft	EA	91.00
9 SEE-N36★	36"	30 sq ft	EA	164.00
Round Rectangular Shape for Low Ceiling Areas				
10 SEE-RR1218 ★	18" × 12"	15 sq ft	EA	75.00
11 SEE-RR1524 ★	24" × 15"	20 sq ft	EA	85.00

★ Meets OSHA Requirements.

TATCO

E Wireless Doorbell For use with front door, back door or customer service area. Includes separate ringer and receiver. Water-resistant pushbutton ringer may be used outdoors or indoors and attaches easily with screws or foam tape, both included.


ID No.	Color	W × D × H	Unit	Price
12 TCO-57910 ★	Bone	1¾" × ¾" × 3½"	EA	29.95

★ FCC Certified.

F LED Exit Sign with Battery Back-Up Automatically turns on when power fails. Energy-saving LED light source lasts up to 25 years. 120/277 dual-voltage input. Sealed, maintenance-free back-up battery provides 90 minutes of emergency operation and lasts up to ten years. Fully automatic charger. Front and rear stencils with snap-out directionals. Mounts on ceiling or wall. Mounting hardware included. Manufacturer's 10-year warranty.

ID No.	Color	Material	Size	Qty.	Unit	Price
13 TCO-07230 ★	White	Rugged Polycarbonate	12¼ × 2½ × 8¾	1	EA	149.95

★ UL Listed.



Adjustable arm permits wide range of viewing angles.



MIRRORS



A Executive 2-Sided Multi-Lingual Caution Sign Lightweight and versatile caution sign is easy to place wherever you need it. Foldable for easy storage. Integrated carry handles. Manufacturer's limited one-year warranty.

ID No.	Color	Material	Message(s)	Size	Unit	Price
1	RCP-1867505	Black	Plastic	Caution	10 $\frac{1}{2}$ " x 26 $\frac{1}{16}$ "	EA 23.74

B Executive 2-Sided Multi-Lingual Wooden Caution Sign Elegant and sophisticated. Durable rubber feet. Hardwood finish. Manufacturer's limited one-year warranty.

ID No.	Color	Material	Message(s)	Size	Unit	Price
2	RCP-1867507•	Brown	Brass/Wood/ Rubber	Caution	15" x 23 $\frac{1}{2}$ "	EA 309.52
3	RCP-1867508•	Brown	Stainless Steel/ Wood/Rubber	Caution	15" x 23 $\frac{1}{2}$ "	EA 309.52

C Site Safety Hanging Sign Safety sign imprinted with "Closed for Cleaning" in English and Spanish and is mounted on a twist-action pole that extends up to 50 inches wide to prevent entry through even wide hospital doors. Manufacturer's limited one-year warranty.

ID No.	Color	Material	Message(s)	Size	Unit	Price
4	RCP-9S1600YL	Yellow	Fabric	Closed For Cleaning; 50" x 1" x 13" Cerrado Por Limpieza	EA	42.56

D Multilingual Pop-Up Safety Cone Safety cone with multi-language imprint and wet floor symbol is collapsible, automatically deployed and multilingual for a strong, easy-to-transport safety statement. Manufacturer's limited one-year warranty.

ID No.	Message	W x D x H	Unit	Price
5	RCP-9S00 YEL	Attention; Caution; Cuidado	21" x 21" x 20"	EA 54.60
6	RCP-9S0100YL	Caution; Attention; Cuidado	21" x 21" x 30"	EA 72.34



PLAY IT SAFE

Wet floor warnings can help significantly reduce the number of slip and fall injuries in the workplace! Make sure signs are visible from every point of entry into the area where work is being done to ensure that anyone entering your facility will take extra care as they pass through. Using proper wet floor signs is the most economical way to give visual warning and avoid injury!



A Multilingual "Closed" Folding Floor Sign This bright yellow "Closed" sign is printed in English, French, German and Spanish for maximum effective communication with a large audience. It is lightweight and versatile; easy to transport. The two-sided model is excellent for use in small or narrow areas. Measures 12" deep when open. Manufacturer's limited one-year warranty.

ID No.	Message	W x D x H	Unit	Price
1 RCP-6112-78 YEL	Cerrado; Closed; Fermé; Geschlossen	11" x 12" x 25"	EA	23.74

B "Caution Wet Floor" Floor Sign 2-Sided Floor Safety Sign with "Caution Wet Floor" Imprint is lightweight and versatile. The caution sign makes a heavy statement about safety. Measures 12" deep when open.

ID No.	Message	W x D x H	Unit	Price
2 RCP-611277YW	Caution—Wet Floor	11" x 12" x 25"	EA	23.74

C Multilingual "Caution" Floor Sign 2-Sided Floor Safety Sign with "Caution" Imprint is lightweight and versatile. The caution sign with multilingual messaging makes a heavy statement about safety. Measures 12" deep when open.

ID No.	Message	W x D x H	Unit	Price
3 RCP-611200YW	Caution; Attention; Cuidado	11" x 12" x 25"	EA	23.74

D Multilingual Safety Cone Alert co-workers and visitors alike to proceed carefully. Message is printed in English and Spanish on all four sides of bright yellow cone. Can be read from 40 ft. away. Stackable for easy transport and storage. Manufacturer's limited one-year warranty.

ID No.	Message	W x D x H	Unit	Price
4 RCP-6276-77 *	Caution—Wet Floor; Cuidado—Piso Mojado	12¼" x 12¼" x 36"	EA	71.24

* With Keyhole Openings.

E "Over-The-Spill"™ System The most effective way to deal immediately with spills, covering the spilled liquid and alerting pedestrians with its bright yellow color.

ID No.	Absorbing Volume (Unit)	W x L	Qty.	Unit	Price
5 RCP-4252 YEL	16 oz	16½" x 20"	1	PD	42.88

F "Over-The-Spill"™ Pad Tablet Contains 25 absorbent pads that each have a triangular "Caution" symbol and "Caution Wet Floor" in English and Spanish. Each caution pad absorbs 12 oz. of fluid.

ID No.	Absorbing Volume (Unit)	W x L	Qty.	Unit	Price
6 RCP-4254	12 oz	16½" x 14"	1	PD	39.32

G Portable Mobile Safety Barrier Barrier is easy-to-use, easy-to-see, easy-to-move, and easy-to-store. It uses articulating panels to extend to 13-feet long to be used straight, curved or circular. ANSI- and OSHA-compliant colors. Manufacturer's one-year warranty against defects.

ID No.	Size	Material	Qty.	Unit	Price
7 RCP-9S1100YEL	13 ft x 40"	Plastic	1	EA	816.28